CONTENTS

VOLUME 111 · NUMBER 1 · JANUARY 1998

1 OLAF SPARRE ANDERSEN. Editorial

3 DANIEL TRANCHINA. *Commentary:* The calculus of rod phototransduction

7 S. NIKONOV, N. ENGHETA, and E.N. PUGH, JR. Kinetics of recovery of the dark-adapted salamander rod photoresponse

39 *PETER D. CALVERT, THERESA W. HO, YVETTE M. LEFEBVRE, and VADIM Y. ARSHAVSKY. Onset* of feedback reactions underlying vertebrate rod photoreceptor light adaptation

53 A.P. SAMPATH, H.R. MATTHEWS, M.C. CORNWALL, and G.L. FAIN. Bleached pigment produces a maintained decrease in outer segment Ca^{2+} in salamander rods

65 J. MOSBACHER, M. LANGER, J.K.H. HÖRBER, and F. SACHS. Voltage-dependent membrane displacements measured by atomic force microscopy

75 GALEN EAHOLTZ, WILLIAM N. ZAGOTTA, and WILLIAM A. CATTERALL. Kinetic analysis of block of open sodium channels by a peptide containing the isoleucine, phenylalanine, and methionine (IFM) motif from the inactivation gate

83 VASANTH VEDANTHAM, and STEPHEN C. CANNON. Slow inactivation does not affect movement of the fast inactivation gate in voltage-gated Na^+ channels

95 E. ETIENNE VERHEIJCK, RONALD WILDERS, RONALD W. JOYNER, DAVID A. GOLOD, RAJIV KUMAR, HABO J. JONGSMA, LENNART N. BOUMAN, and ANTONI C.G. VAN GINNEKEN. Pacemaker synchronization of electrically coupled rabbit sinoatrial node cells

113 YONG G. WANG, CHRISTINE E. RECHENMACHER, and STEPHEN L. LIPSIUS. Nitric oxide signaling mediates stimulation of L-type Ca^{2+} current elicited by withdrawal of acetylcholine in cat atrial myocytes

127 AHMED CHRAÏBI, VÉRONIQUE VALLET, DMITRI FIRSOV, SOLANGE KHAROUBI HESS, and JEAN-DANIEL HORISBERGER. Protease modulation of the activity of the epithelial sodium channel expressed in *Xenopus* oocytes

139 *ULRICH R. MAUERER, EMILE L. BOULPAEP, and ALAN S. SEGAL. Properties of an inwardly rectifying* ATP-sensitive K^+ channel in the basolateral membrane of renal proximal tubule

161 ULRICH R. MAUERER, EMILE L. BOULPAEP, and ALAN S. SEGAL. Regulation of an inwardly rectifying ATP-sensitive K^+ channel in the basolateral membrane of renal proximal tubule

VOLUME 111 · NUMBER 2 · FEBRUARY 1998

Paul F. Cranefield Award to Myles Akabas

The 51st annual meeting and symposium of the Society of General Physiologists: Mechanisms of secretion

181 HENRY A. LESTER and DENNIS A. DOUGHERTY. *Commentary:* New views of multi-ion channels

185 THIEU X. DANG and EDWIN W. MCCLESKEY. Ion channel selectivity through stepwise changes in binding affinity

195 LASZLO KISS, DAVID IMMKE, JOSEPH LOTURCO, and STEPHEN J. KORN. The interaction of Na^+ and K^+ in voltage-gated potassium channels: Evidence for cation binding sites of different affinity

207 ALAIN LACAMPAGNE, MICHAEL G. KLEIN, and MARTIN F. SCHNEIDER. Modulation of the frequency of spontaneous sarcoplasmic reticulum Ca^{2+} release events (Ca^{2+} sparks) by myoplasmic $[Mg^{2+}]$ in frog skeletal muscle

225 RUTH HEIDELBERGER. Adenosine triphosphate and the late steps in calcium-dependent exocytosis at a ribbon synapse

243 M.E. Burns, T. Sasaki, Y. Takai, and G.J. Augustine. Rabphilin-3A: A multifunctional regulator of synaptic vesicle traffic

257 Amy B. Harkins and Aaron P. Fox. Activation of nicotinic acetylcholine receptors augments calcium channel-mediated exocytosis in rat pheochromocytoma (PC12) cells

271 N.E. Schoppa and F.J. Sigworth. Activation of *Shaker* potassium channels I. Characterization of voltage-dependent transitions

295 N.E. Schoppa and F.J. Sigworth. Activation of *Shaker* potassium channels II. Kinetics of the V2 mutant channel

313 N.E. Schoppa and F.J. Sigworth. Activation of *Shaker* potassium channels III. An activation gating model for wild-type and V2 mutant channels

343 Ricardo A. Bello and Karl L. Magleby. Time-irreversible subconductance gating associated with Ba^{2+} block of large conductance Ca^{2+}-activated K^+ channels

363 Izumi Sugihara. Activation and two modes of blockade by strontium of Ca^{2+}-activated K^+ channels in goldfish saccular hair cells

381 Alexey E. Alekseev, Peter A. Brady, and Andre Terzic. Ligand-insensitive state of cardiac ATP-sensitive K^+ channels: Basis for channel opening

395 Correction

397 Acknowledgment

VOLUME 111 · NUMBER 3 · MARCH 1998

399 Catherine J. Smith-Maxwell, Jennifer L. Ledwell, and Richard W. Aldrich. Role of the S4 in cooperativity of voltage-dependent potassium channel activation

421 Catherine J. Smith-Maxwell, Jennifer L. Ledwell, and Richard W. Aldrich. Uncharged S4 residues and cooperativity in voltage-dependent potassium channel activation

441 Patricia Perez-Cornejo, Per Stampe, and Ted Begenisich. Proton probing of the charybdotoxin binding site of *Shaker* K^+ channels

451 Nenad Mitrovic, Alfred L. George, Jr., and Richard Horn. Independent versus coupled inactivation in sodium channels: Role of the domain 2 S4 segment

463 Francesca Noceti, Riccardo Olcese, Ning Qin, Jianming Zhou, and Enrico Stefani. Effect of Bay K 8644 (−) and the β_{2a} subunit on Ca^{2+}-dependent inactivation in α_{1C} Ca^{2+} channels

477 Fei Wang, Shawn Zeltwanger, Iris C.-H. Yang, Angus C. Nairn, and Tzyh-Chang Hwang. Actions of genistein on cystic fibrosis transmembrane conductance regulator channel gating: Evidence for two binding sites with opposite effects

VOLUME 111 · NUMBER 4 · APRIL 1998

491 Kenneth S. Ginsburg, Christopher R. Weber, and Donald M. Bers. Control of maximum sarcoplasmic reticulum Ca load in intact ferret ventricular myocytes: Effects of thapsigargin and isoproterenol

505 Masato Konishi and Masaru Watanabe. Steady state relation between cytoplasmic free Ca^{2+} concentration and force in intact frog skeletal muscle fibers

521 Hubert H. Kerschbaum and Michael D. Cahalan. Monovalent permeability, rectification, and ionic block of store-operated calcium channels in Jurkat T lymphocytes

539 Fred S.P. Chen and David Fedida. On the mechanism by which 4-aminopyridine occludes quinidine block of the cardiac K^+ channel, hKv1.5

555 Ben-Yuan Zhou, Wei Ma, and Xin-Yun Huang. Specific antibodies to the external vestibule of voltage-gated potassium channels block current

565 Birgit Hirschberg, James Maylie, John P. Adelman, and Neil V. Marrion. Gating of recombinant small-conductance Ca-activated K^+ channels by calcium

583 Stephan Frings, Nicole Brüll, Claudia Dzeja, Albert Angele, Volker Hagen, U. Benjamin Kaupp, and Arnd Baumann. Characterization of ether-à-go-go channels present in photoreceptors reveals similarity to I_{Kx}, a K^+ current in rod inner segments

601 Paul Linsdell and John W. Hanrahan. Adenosine triphosphate-dependent asymmetry of anion permeation in the cystic fibrosis transmembrane conductance regulator chloride channel

VOLUME 111 · NUMBER 5 · MAY 1998

615 Olaf Sparre Andersen. Editorial: Perspectives in general physiology

617 Kevin Strange. *Perspective:* Molecular identity of the outwardly rectifying, swelling-activated anion channel: time to reevaluate pICln

623 David E. Clapham. *Perspective:* The list of potential volume-sensitive chloride currents continues to swell (and shrink)

625 Michael J. Roux, Riccardo Olcese, Ligia Toro, Francisco Bezanilla, and Enrico Stefani. Fast inactivation in *Shaker* K^+ channels: Properties of ionic and gating currents

639 Lihui Tang, Nabil Chehab, Steven J. Wieland, and Roland G. Kallen. Glutamine substitution in Alanine^{1649} in the S4–S5 cytoplasmic loop of domain 4 removes the voltage sensitivity of fast inactivation in the human heart sodium channel

653 G.Y. Rychkov, M. Pusch, M.L. Roberts, T.J. Jentsch, and A.H. Bretag. Permeation and block of the skeletal muscle chloride channel, ClC–1, by foreign anions

667 Timothy A. Gilbertson and Huai Zhang. Self-inhibition in amiloride-sensitive sodium channels in taste receptor cells

679 Ashutosh Tripathy, Wolfgang Resch, Le Xu, Hector H. Valdivia, and Gerhard Meissner. Imperatoxin A induces subconductance states in Ca^{2+} release channels (ryanodine receptors) of cardiac and skeletal muscle

691 Alexander Omelchenko, Christopher Dyck, Mark Hnatowich, John Buchko, Debora A. Nicoll, Kenneth D. Philipson, and Larry V. Hryshko. Functional differences in ionic regulation between alternatively spliced isoforms of the Na^+-Ca^{2+} exchanger from *Drosophila melanogaster*

VOLUME 111 · NUMBER 6 · JUNE 1998

703 Gregory N. Filatov, Thao P. Nguyen, Susan D. Kraner, and Robert L. Barchi. Inactivation and secondary structure in the D4/S4-5 region of the SkM1 sodium channel

717 Juan M. Pascual and Arthur Karlin. State-dependent accessibility and electrostatic potential in the channel of the acetylcholine receptor: Inferences from rates of reaction of thiosulfonates with substituted cysteines in the M2 segment of the α subunit

741 Lise Heginbotham, Ludmila Kolmakova-Partensky, and Christopher Miller. Functional reconstitution of a prokaryotic K^+ channel

751 Brad S. Rothberg and Karl L. Magleby. Kinetic structure of large-conductance Ca^{2+}-activated K^+ channels suggests that the gating includes transitions through intermediate or secondary states: A mechanism for flickers

781 Wei Zhou, Francisco S. Cayabyab, Peter S. Pennefather, Lyanne C. Schlichter, and Thomas E. DeCoursey. HERG-like K^+ channels in microglia

795 Peter S. Pennefather, Wei Zhou, and Thomas E. DeCoursey. Idiosyncratic gating of HERG-like K^+ channels in microglia

807 Roman Shirokov, Gonzalo Ferreira, Jianxun Yi, and Eduardo Ríos. Inactivation of gating currents of L-type calcium channels: Specific role of the $\alpha_2\delta$ subunit

825 Toru Ishikawa, Yoshinori Marunaka, and Daniela Rotin. Electrophysiological characterization of the rat epithelial Na^+ channel (rENaC) expressed in MDCK cells: Effects of Na^+ and Ca^{2+}

847 Elena Kaznacheyeva, Vitalie D. Lupu, and Ilya Bezprozvanny. Single-channel properties of inositol (1,4,5)-trisphosphate receptor heterologously expressed in HEK-293 cells

857 Zhaoping He, Qiusheng Tong, Beate D. Quednau, Kenneth D. Philipson, and Donald W. Hilgemann. Cloning, expression, and characterization of the squid Na^+–Ca^{2+} exchanger (NCX-SQ1)

875 Author Index to Volume 111